



PRECISION

# 7960 XL Tower

Amplify your productivity.





XL

# 7960 XL Tower

## OEM XL

Sharpen your competitive edge. Focus on innovation versus technology churn with an up to 18-month managed product transition with locked and stable key components and up to six months in-advance visibility to key product changes.



### OEM equipped

Meeting OEM requirements off-the-shelf with OEM XL longevity, stability and visibility.



### Vertical industry ready

Amazing performance in a more compact tower design with processing power that makes it ideal for multi-threaded, compute intensive analysis, simulation and rendering applications requiring high CPU core counts.



### Improved performance

Up to Intel Xeon (350W), 56 cores, AMD or NVIDIA (4x 300W) graphics, 152TB storage, (8) M.2 in FlexBays, (8) PCIe Gen 4/5 slots, 4TB of 4800MHz (DDR5) memory, high speed I/O including optional Thunderbolt™ 3




### Mission critical reliability and sustainability

ECC with Reliable Memory Technology Pro, Advanced thermals, TPM 2.0, lockable chassis with intrusion detection, Front accessible and lockable storage, Fast network speeds (1G + 10G Native); USB 3.2 Type C and A ports and self encrypting drives.

# 7960 XL Tower

### Amplify your productivity

Scale performance to meet your highest requirements, deliver projects with record speeds, while fitting more iterations within your project timelines.



Breathable front bezel

Lockable, tool-less side panel, intrusion detection

Power toggle button with LED  
HDD activity LED

Universal audio port

(2) USB 3.2 Gen 1 (5Gb/s) Type A

(2) USB 3.2 Gen 2 (10Gb/s) Type C, one with PowerShare

SD 6.0 card reader

VR and AI Ready

EPEAT Gold Certified

Reliable Memory Technology Pro

ISV Certified



Power cord connector

Serial Port

RJ45 (1Gb)  
RJ45 (10Gb)

(3) USB 3.2 Gen 2 (10Gb/s) Type C  
(3) USB 3.2 Gen 1 (5Gb/s) Type A

(4) Expansion card slots

Audio line out  
Mouse port  
Keyboard port

Easy access for expansion slots

(4) Expansion card slots

# 7960 XL Tower



## Intelligent performance

Up to Intel Xeon (350W), 56 cores, AMD or NVIDIA (4x 300W) graphics, 152TB storage, (8) M.2 in FlexBays, (8) PCIe Gen 4/5 slots, 4TB of 4800MHz (DDR5) memory, high speed I/O including optional Thunderbolt™ 3  
 ...  
 Dell Optimizer for Precision



## User experience

Front accessible and lockable storage  
 ...  
 Fast network speeds (1G + 10G Native)  
 ...  
 USB 3.2 Type C and A ports



## Mission critical reliability and security

ISV Certifications  
 ...  
 ECC with Reliable Memory Technology Pro  
 ...  
 Advanced thermals  
 ...  
 TPM 2.0, lockable chassis with intrusion detection, self encrypting drives





## RECOMMENDED ACCESSORIES



**Dell UltraSharp 32 HDR PremierColor Monitor - UP3221Q**

Create phenomenal 4K HDR content on the world's first professional monitor with 2K mini-LED direct backlit dimming zones.\*



**Dell UltraSharp 27 Monitor - U2722D**

Elevate your productivity on this innovative 27-inch QHD Hub monitor with a wide color coverage including DCI-P3. Features ComfortView Plus an always-on built-in low blue light screen, USB-C with up to 90W power delivery, and RJ45 connectivity.



**Dell Premier Multi-Device Wireless Keyboard and Mouse - KM7321W**

Multi-task seamlessly across 3 devices with this premium full-size keyboard and sculpted mouse combo featuring programmable shortcuts and 36 months battery life.



**Dell Speakerphone SP3022**

Experience rich, clear sound with the intelligent, Microsoft Teams-certified speakerphone.



**3Dconnexion SpaceMouse Pro Wireless - 3DX-700075**

SpaceMouse® Pro Wireless offers professional 3D navigation, advanced ergonomic design, reliable connectivity with a high performance Universal Receiver and much more with up to two months of battery life.



**HTC VIVE Cosmos 3D VR Headset - MFG 99HARL000-00  
Dell part AA809644**

Dive into virtual reality experiences with this HTC VIVE Cosmos 3-D virtual reality headset. A simple design eliminates the need for a base station, while the flip-up display lets you quickly escape to answer calls and texts.

# 7960 XL Tower

Dell Optimizer for Precision  
We make it intelligent. You make it yours.

In a work-from-anywhere world, powering the world's most intelligent business PCs\* is not enough, Dell Optimizer is extending personalized intelligence to the rest of the Dell ecosystem.

Dell Optimizer lets you accomplish anything with built-in intelligence that learns and adapts to the way you work.



Power your productivity with personalized performance extending from your Precision to the devices within your workspace.



#### An intelligent ecosystem

Enjoy easy pairing and management of your Dell monitors and accessories with the **integration of Dell Display Manager and Dell Peripheral Manager**.



#### Intelligent analytics

Get full workload analysis to enable users to track system resource utilization for components such as processor, memory, graphics, and hard drive while you run your specific workload.



#### Improved app performance

**ExpressResponse** analyzes how you use your preferred apps to boost performance.



#### Intelligent privacy anywhere

This technology lets you texturizes your screen when an intruder is detected and dims your PC when you look away. It also wakes your PC when your approach and locks it when you walk away.



#### Unmatched connectivity

**ExpressConnect\*** provides the world's first simultaneous multinet network connection\* that joins the best network\* available.

With Dell Optimizer, optimization and data collection follow a stringent process to ensure your privacy and security.

[Click here to learn more about Dell Optimizer.](#)



#### Up level audio

**Intelligent Audio** delivers sound and mic enhancements reducing background noise using neural noise cancellation and voice isolation technology.



#### Extended power

**ExpressCharge** analyzes your power usage habits to improve PC battery utilization and extends run times by charging your system faster when you need a boost in power.

\* Based on Dell Analysis, October 2022. For more details visit Guide to Bluetooth Security <https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-121r2-upd1.pdf> Dell Pair is available on select Dell accessories.

## Precision workstations

Dell Precision fixed and mobile workstations are designed with the environment in mind, using sustainable materials in our products and packaging wherever possible.



### Design

1st

Workstations made with reclaimed carbon fiber and renewable bioplastic<sup>12</sup>.

### Sustainable Materials

up to 61%

Recycled plastic in fixed workstations and up to 21% in mobile workstations<sup>13</sup>. Oceanbound plastic is also used in the components of select Precisions<sup>14</sup>.

### Packaging Innovation

100%

Precision mobile workstations ship in packaging made from 100% recycled or renewable materials and is 100% recyclable<sup>15</sup>.

## ECOLABELS

35+

EPEAT registered products<sup>16</sup>



8.0

ENERGY STAR<sup>®</sup> throughout the portfolio



PRECISION

# 7960 XL Tower

## FEATURE TECHNICAL SPECIFICATION

<b>MODEL NUMBER</b>	Precision 7865
<b>CHIPSET</b>	Intel W790
<b>PROCESSOR OPTIONS<sup>1</sup></b>	<p>Intel® Xeon® w9-3495X (105MB Cache, 56 cores, 112 threads, 1.9GHz to 4.8GHz Turbo 350W)</p> <p>Intel® Xeon® w9-3475X (82.5MB Cache, 36 cores, 72 threads, 2.2GHz to 4.8GHz Turbo 300W)</p> <p>Intel® Xeon® w7-3465X (75MB Cache, 28 cores, 56 threads, 2.5GHz to 4.8GHz Turbo 300W)</p> <p>Intel® Xeon® w7-3455 (67.5MB Cache, 24 cores, 48 threads, 2.5GHz to 4.8GHz Turbo 270W)</p> <p>Intel® Xeon® w7-3445 (52.5MB Cache, 20 cores, 40 threads, 2.6GHz to 4.8GHz Turbo 270W)</p> <p>Intel® Xeon® w5-3435X (45MB Cache, 16 cores, 32 threads, 3.1GHz to 4.7GHz Turbo 270W)</p> <p>Intel® Xeon® w5-3425 (30MB Cache, 12 cores, 24 threads, 3.2GHz to 4.6GHz Turbo 270W)</p> <p>Intel® Xeon® w5-3433 (45MB Cache, 16 cores, 32 threads 2.0GHz to 4.2GHz Turbo 220W)</p> <p>Intel® Xeon® w5-3423 (30MB Cache, 12 cores, 24 threads, 2.1GHz to 4.2GHz Turbo 220W)</p>
<b>OPERATING SYSTEM<sup>1</sup></b>	<p>Windows 11 for Workstations</p> <p>Windows 11 Downgrade to Windows 10 22H2</p> <p>Ubuntu® 22.04, 64-bit</p> <p>Red Hat® Linux® 8.6 Enterprise WS</p>
<b>MEMORY OPTIONS<sup>1,2,3</sup></b>	<p>16GB, 1 x 16GB, DDR5, 4800MHz, ECC</p> <p>32GB, 1 x 32GB, DDR5, 4800MHz, ECC</p> <p>32GB, 2 x 16GB, DDR5, 4800MHz, ECC</p> <p>64GB, 1 x 64GB, DDR5, 4800MHz, ECC</p> <p>64GB, 2 x 32GB, DDR5, 4800MHz, ECC</p> <p>64GB, 4 x 16GB, DDR5, 4800MHz, ECC</p> <p>96GB, 6 x 16GB, DDR5, 4800MHz, ECC</p> <p>128GB, 1 x 128GB, DDR5, 4800MHz, ECC</p> <p>128GB, 2 x 64GB, DDR5, 4800MHz, ECC</p> <p>128GB, 4 x 32GB, DDR5, 4800MHz, ECC</p> <p>128GB, 8 x 16GB, DDR5, 4800MHz, ECC</p> <p>192GB, 6 x 32GB, DDR5, 4800MHz, ECC</p> <p>192GB, 12 x 16GB, DDR5, 4800MHz, ECC</p> <p>256GB, 1 x 256GB, DDR5, 4800MHz, ECC</p> <p>256GB, 2 x 128GB, DDR5, 4800MHz, ECC</p> <p>256GB, 4 x 64GB, DDR5, 4800MHz, ECC</p> <p>256GB, 16 x 16GB, DDR5, 4800MHz, ECC</p> <p>384GB, 6 x 64GB, DDR5, 4800MHz, ECC</p> <p>384GB, 12 x 32GB, DDR5, 4800MHz, ECC</p> <p>512GB, 2 x 256GB, DDR5, 4800MHz, ECC</p> <p>512GB, 4 x 128GB, DDR5, 4800MHz, ECC</p> <p>512GB, 8 x 64GB, DDR5, 4800MHz, ECC</p> <p>512GB, 16 x 32GB, DDR5, 4800MHz, ECC</p> <p>768GB, 6 x 128GB, DDR5, 4800MHz, ECC</p> <p>768GB, 12 x 64GB, DDR5, 4800MHz, ECC</p> <p>1 TB, 4 x 256GB, DDR5, 4800MHz, ECC</p> <p>1 TB, 8 x 128GB, DDR5, 4800MHz, ECC</p> <p>1 TB, 16 x 64GB, DDR5, 4800MHz, ECC</p> <p>1.5 TB, 6 x 256GB, DDR5, 4800MHz, ECC</p> <p>1.5 TB, 12 x 128GB, DDR5, 4800MHz, ECC</p> <p>2 TB, 8 x 256GB, DDR5, 4800MHz, ECC</p> <p>2 TB, 16 x 128GB, DDR5, 4800MHz, ECC</p> <p>3 TB, 12 x 256GB, DDR5, 4800MHz, ECC</p> <p>4 TB, 16 x 256GB, DDR5, 4800MHz, ECC</p>
<b>BOOT DRIVES<sup>1,5</sup></b>	<p>16 DIMM slots across 8 Memory Channels</p> <p>Memory clocks down to 4400MHz in configurations with 2 DIMMs per channel</p> <p>128GB and 256GB RDIMMs are available post launch</p> <p>M.2 2280, 512GB, PCIe NVMe Gen4 x4, SSD, Class 40</p> <p>M.2 2280, 1TB, PCIe NVMe Gen4 x4, SSD, Class 40</p> <p>M.2 2280, 2TB, PCIe NVMe Gen4 x4, SSD, Class 40</p> <p>M.2 2280, 4TB, PCIe NVMe Gen4 x4, SSD, Class 40</p>
<b>DRIVES<sup>1,5</sup></b>	<p>M.2 2280, 512GB, PCIe NVMe Gen4 x4, SSD, Class 40</p> <p>M.2 2280, 1TB, PCIe NVMe Gen4 x4, SSD, Class 40</p> <p>M.2 2280, 2TB, PCIe NVMe Gen4 x4, SSD, Class 40</p> <p>M.2 2280, 4TB, PCIe NVMe Gen4 x4, SSD, Class 40</p> <p>2.5-inch, 600GB, 15,000RPM, SAS, Enterprise HDD</p> <p>2.5-inch, 1.2TB, 10,000RPM, SAS, Enterprise HDD</p> <p>2.5-inch, 2.4TB, 10,000RPM, SAS, Enterprise HDD</p> <p>3.5-inch, 2TB, 7200RPM, SATA, Enterprise HDD</p> <p>3.5-inch, 4TB, 7200RPM, SATA, Enterprise HDD</p> <p>3.5-inch, 8TB, 7200RPM, SATA, Enterprise HDD</p> <p>3.5-inch, 12TB, 7200RPM, SATA, Enterprise HDD</p> <p>2.5-inch, 1.92TB, MU, SATA, Enterprise SSD</p> <p>M.2 2280, 512GB, PCIe NVMe Gen4 x4, SSD, Class 40</p> <p>M.2 2280, 1TB, PCIe NVMe Gen4 x4, SSD, Class 40</p> <p>M.2 2280, 2TB, PCIe NVMe Gen4 x4, SSD, Class 40</p> <p>M.2 2280, 4TB, PCIe NVMe Gen4 x4, SSD, Class 40</p>

## FEATURE TECHNICAL SPECIFICATION

<b>STORAGE CONTROLLERS</b>	<p><b>Integrated:</b> Intel chipset 6Gb/s SATA controller supporting up to 8 ports for SATA HDD/SSD. 1 port for optical drive.</p> <p>Intel vROC SW SATA RAID 0,1,5,10 supported across up to 8 SATA ports</p> <p>Integrated Intel chipset controller supports up to 8 M.2 NVMe drives in 4 externally-facing FlexBays or up to 8 M.2 NVMe drives in 2 Dell Ultra-Speed Drive Quad x16 PCIe cards.</p> <p><b>Optional</b> Intel vROC Standard SW NVMe RAID 0,1,10 option - (motherboard activation key) for M.2 NVMe PCIe SSDs in FlexBays or on Ultra-Speed Drive Quad x16 or Duo x8 card (0,1).</p> <p>Maximum 4 drives per RAIDset. Supports 2 FlexBay NVMe RAIDsets - up to 4 drives in front and up to 4 drives in rear Flexbays.</p> <p><b>Optional</b> Intel vROC Premium SW NVMe RAID 0,1,5,10 option adds RAID 5</p> <p><b>Optional</b> MegaRAID 9660* SATA/SAS HW RAID controller. RAID 0,1,5,10. Supports up to 10 SATA/SAS drives or up to 4 M.2 NVMe drives in front FlexBays. * Available post launch</p> <p><b>Optional</b> MegaRAID 9540 SATA/SAS RAID controller. RAID 0,1,5,10. Supports up to 8 SATA/SAS drives</p>
<b>GRAPHICS</b>	<p>NVIDIA RTX™ A6000, 48GB GDDR6</p> <p>NVIDIA RTX™ A5500, 24GB GDDR6</p> <p>NVIDIA RTX™ A4500, 20GB GDDR6</p> <p>NVIDIA RTX™ A4000, 16GB GDDR6</p> <p>NVIDIA RTX™ A2000, 12GB GDDR6</p> <p>NVIDIA T1000, 4GB GDDR6</p> <p>NVIDIA T400, 2GB GDDR6</p> <p>AMD Radeon™ Pro W6800, 32GB GDDR6</p> <p>AMD Radeon™ Pro W6600, 8GB GDDR6</p> <p>AMD Radeon™ Pro W6400, 4GB GDDR6</p>
<b>CASE COLOR</b>	Dell Standard Black
<b>PRODUCTIVITY SOFTWARE<sup>1</sup></b>	<p>Microsoft Office Home and Business 2021</p> <p>Microsoft Office Professional 2021 - Commercial</p> <p>Dell Optimizer for Precision</p>
<b>SECURITY SOFTWARE</b>	<p>McAfee® Small Business Security 30-Day Free Trial</p> <p>McAfee® Small Business Security 12-month subscription</p> <p>McAfee® Small Business Security 36 month subscription</p> <p>Dell Encryption Personal</p> <p>Dell Encryption Enterprise</p> <p>Dell Encryption External Media</p> <p>Dell Bitlocker Manager</p> <p>Dell SafeGuard and Response VMW Carbonblack</p> <p>Endpoint Standard</p>
<b>WARRANTY<sup>9,10</sup></b>	<p>3-year Basic warranty with hardware service with on-site/in-home service after remote diagnosis</p> <p>4-year Basic warranty with hardware service with on-site/in-home service after remote diagnosis</p> <p>5-year Basic warranty with hardware service with on-site/in-home service after remote diagnosis</p> <p>3-year ProSupport with Next Business Day on-site service</p> <p>4-year ProSupport with Next Business Day on-site service</p> <p>5-year ProSupport with Next Business Day on-site service</p> <p>3-year ProSupport Plus for Client with Next Business Day on-site service</p> <p>4-year ProSupport Plus for Client with Next Business Day on-site service</p> <p>5-year ProSupport Plus for Client with Next Business Day on-site service</p>
<b>ACCIDENTAL DAMAGE SERVICES</b>	<p>3-year Accidental Damage Service</p> <p>4-year Accidental Damage Service</p> <p>5-year Accidental Damage Service</p>
<b>PORTS</b>	<p><b>Front:</b></p> <p>2 USB 3.2 Gen 1 ports</p> <p>USB 3.2 Gen 2 Type-C port with PowerShare</p> <p>USB 3.2 Gen 2 Type-C port</p> <p>Universal audio port</p> <p>SD-card slot</p> <p><b>Rear:</b></p> <p>3 USB 3.2 Gen 2 Type-C ports</p> <p>2 USB 3.2 Gen 1 ports</p> <p>USB 3.2 Gen 1 port with Smart Power On</p> <p>RJ45 Ethernet port, 10GbE</p> <p>RJ45 Ethernet port, 10GbE</p> <p>Line-out port</p> <p>Serial port</p> <p>2 PS2 ports</p>
<b>OPTICAL DRIVE</b>	<p>8x DVD-ROM 9.5mm optical drive</p> <p>8x DVD+/-RW 9.5mm optical drive</p> <p>16x DVD+/-RW half-height optical drive</p>
<b>SLOTS</b>	<p>2 full-height Gen5 PCIe x16 slots</p> <p>2 full-height Gen4 PCIe x16 slots</p> <p>2 full-height Gen4 PCIe x8 slots</p> <p>2 full-height, half length Gen4 PCIe x8 slots wired as x4 electrically</p>



PRECISION

# 7960 XL Tower

## FEATURE TECHNICAL SPECIFICATION

### DIMENSIONS

#### US

Height: 16.96in. (430.70mm) / 17.09in. (434.20mm) with runner feet  
Width: 8.58in. (218.00mm)  
Depth: 21.19in. (538.30mm) / 22.4in. (569.15mm) with lock structure

**Weight:** Maximum: 82.82lbs. (37.56kg) Typical: 52.50lbs. (23.81kg) Minimum: 46.39lbs. (21.04kg)

#### Rest of the world

Height: 430.70mm (16.96in.) / 434.20mm (17.09in.) with runner feet  
Width: 218.00mm (8.58in.)  
Depth: 538.30mm (21.19in.) / 569.15mm (22.4in.) with lock structure

**Weight:** Maximum: 37.56kg (82.82lbs.) Typical: 23.81kg (52.50lbs.) Minimum: 21.04kg (46.39lbs.)

### AUDIO & SPEAKERS<sup>1</sup>

Realtek ALC3246-CGT Internal Speakers

### CHASSIS

Full-size tower - 19" Rack Mount Kit available (Takes 5U rack space)

### WIRELESS

Qualcomm® WCN6856-DBS, 2x2 MIMO, 3571Mbps, 2.4GHz/5GHz/6GHz, Wi-Fi 6E (Wi-Fi 802.11ax), Bluetooth 5.2

### POWER SUPPLIES

1100W (for AC input voltage of 108VAC - 180VAC) 1400W (input voltage 181VAC - 240VAC) –90% efficient (80PLUS Gold Certified).  
1500W (for AC input voltage of 108VAC - 180VAC) 2200W (input voltage 181VAC - 240VAC) –90% efficient (80PLUS Platinum Certified). 1500W/2200W PSUs have C20 cord and require 20A circuit @115V or a 220V circuit  
Externally accessible/removable/lockable

### REGULATORY<sup>8,32</sup>

#### Product Safety, EMC and Environmental Datasheets:

<https://www.dell.com/learn/sg/en/sgcorp1/product-info-datasheets-safety-emc-environmental>

#### Dell Regulatory Compliance Home Page:

<https://www.dell.com/learn/sg/en/sgcorp1/regulatory-compliance>

#### Dell and the Environment:

<https://www.dell.com/en-sg/dt/corporate/social-impact/advancing-sustainability/sustainable-supply-chain/environment.htm>

### HARDWARE SECURITY

Kensington security-cable slot  
Padlock loop  
Chassis lock support - Coin locker  
Chassis intrusion switch  
Optional lockable bezels for externally-facing front and rear storage FlexBays  
TPM 2.0 Discrete Hardware

### RECOMMENDED ACCESSORIES

(SOLD SEPARATELY)

#### Mouse:

3Dconnexion SpaceMouse Wireless

#### Cables, Dongles, Adapters:

Dell Adapter - DisplayPort to HDMI 2.0 (4K)

#### Audio Headsets:

Dell Pro Wireless Headset - WL5022

#### Display:

Dell UltraSharp 27 Monitor - U2722D

Dell UltraSharp 32 HDR PremierColor Monitor - UP3221Q

#### Keyboards:

Dell Premier Multi-Device Wireless Keyboard and Mouse - KM7321W

#### Webcam:

Dell UltraSharp Webcam - WB7022

### CONFIGURATION SERVICES

Factory image load  
BIOS customization  
Hardware customization  
Asset Tagging and Reporting

### ADD-IN CARDS

Intel® Ethernet Network Adapter X710GBE NIC Card

Intel® Ethernet Network Adapter i225 2.5GBE NIC Card

Thunderbolt™ 3 PCIe card

Dell Precision Ultra-Speed Drive Quad (x16) and Duo (x8) PCIe cards support M.2 NVMe drives with active cooling with up to 4 and 2 NVMe drives respectively

Broadcom MegaRAID 9540 SATA/SAS RAID controller

Broadcom MegaRAID 9660 \* SATA/SAS HW RAID controller (also supports up to 4 M.2 NVMe drives in front FlexBays.) \* Post launch

Qualcomm® WCN6856-DBS Wi-Fi 6E, Bluetooth 5.3 wireless LAN card

USB 3.1 PCIe card

**Product Disclosures: pages 2-6:**

\* Based on internal analysis, April 2021. Dell Optimizer available in 2020 devices, not available in OptiPlex 3000 series, Latitude 3310 2-in-1 and Latitude Chromebook Enterprise. Feature availability and functionality varies by model.

1 Based on Dell internal analysis of competitive PC performance software and applications. September 2021. Intelligent Privacy is available on select Dell systems and devices.

2 Available on Latitude 9000 and select 7000 series; Precision mobile workstations 7000 and select 5000 series. See product details for availability.

3 ExpressConnect available with Dell Optimizer software version 2.0 and onwards. Download the latest at <https://www.dell.com/support/home>.

4 Disclaimer: Simultaneous multi-network connection (or Connection based teaming) is a new connectivity feature under ExpressConnect. It simultaneously sends and receives data and video traffic using two or more wired or wireless connections. Based on Dell internal analysis.

5 Best network selection based on signal strength, channel congestion, router type and others. Network suggestions based on user credentials.

6 ExpressResponse must be enabled in the Applications feature. DO learns how user uses the selected application(s) over several hours. Based on Dell testing using Sysmark 2018 benchmark on a Latitude system running productivity applications; and using performance evaluation benchmarks on Precision mobile workstations running ISV applications, March 2020. Improvement will vary based on product configuration, use, application and other factors

7 User must input preferred apps first in order for them to be analyzed.

12 Based on Dell analysis, Jan 2021. 21% bioplastics in LCD coverlid.

13 Based on internal analysis, April 2022.

14 Ocean-bound plastic used in the fan and fan housing (13%) on Precision 3260 CFF and the fan housing (28%) on Precision mobile workstations 3570 & 3571.

15 New packaging is made with up to 95% recycled content and up to 22% renewable content in the form of FSC paper fibers. Material make up varies by product and size. Excludes optional items added to order and included in box. Paper packaging materials can be recycled via municipal recycling, where available. System bag is made from recycled plastic and can be recycled along with other thin plastics.

16 EPEAT registered where applicable. EPEAT registration varies by country. See [www.epeat.net](http://www.epeat.net) for registration status by country.

**Product Disclosures: pages 7-8:**

1. Offering may vary by region. Some items may be available after product introduction. For complete details, refer to the Technical Guidebook published on [www.dell.com/support](http://www.dell.com/support).

2. System Memory and Graphics: Significant system memory may be used to support graphics, depending on system memory size and other factors.

3. 4GB or Greater System Memory Capability: A 64-bit operating system is required to support 4GB or more of system memory.

4. Particular versions of Microsoft Windows may not support the full Bluetooth 4.2 functionality

5. Storage Option:GB means 1 billion bytes andTB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.

6. TPM is available in selected regions.

7. Absolute: Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at [www.lockforlaptops.com](http://www.lockforlaptops.com).

8. Please refer to [www.epeat.net](http://www.epeat.net) for specific country registration rating and participation.

9. Limited Hardware Warranty: For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see [www.dell.com/warranty](http://www.dell.com/warranty).

10. on-site service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty ([www.dell.com/warranty](http://www.dell.com/warranty)) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.

11. Dell Services: Availability and terms of Dell Services vary by region. For more information, visit [www.dell.com/servicedescriptions](http://www.dell.com/servicedescriptions).

12. For complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support information [www.dell.com/support/home/us/en/19](http://www.dell.com/support/home/us/en/19).