

General	
Figure	
Hisense Model	50A6N
Internal Model	50A60LXVT
Sales Market	Columbia, Panama
Brand	Hisense
Premium Tech	
MiniLed Technology	N
Quantum Dot Technology	N
AGLR(Low Reflection)	N
AI	AI PQ
Picture Quality	
Class Size	50"
Display Area	49.5" diagonal
Panel type	VA
Display Aspect Ratio	16:9
Display	Flat
Resolution	4K 3840X2160
Native refresh rate(Hz)	60Hz
Static Contrast Ratio (w/ Local Dimming)	5000typ
Viewing Angle H/V	178/178
Response Time (ms)	8ms
Backlight	DLED
4K Upscale	Y
MEMC	Y
Motion Rate	120
HDR: Dolby Vision	Y
HDR: HDR10	Y
HDR: Hybrid Log Gamma (HLG)	Y
Dolby Gaming	Y
Film Maker Mode	Y
Game	
HDR game mode	Y
VRR(Variable Refresh Rate)	48-60Hz VRR
ALLM(Auto Low-latency Mode)	Y
Other Game features	Gamebar
Audio Quality	
Audio Enhancement	DTS Virtual X
Multi-Channel Audio	2.0 CH
Audio Power	2*8W
Sound send	Y
Speaker Type	Embedded (down)
Bluetooth Audio	Y
TV Bluetooth Speaker (when mobile devices are connected to TV with Bluetooth, sound outputs via TV speaker.)	Y

Hardware&Ports	
Wi-Fi	802.11 a/b/g/n/ac Dual band(2.4/5 GHz)
Bluetooth	BT5.0
RF Antenna	1
Supported Format	480i,480P,720P,1080i,1080P,2160P
HDMI Inputs	HDMI2.0*3
HDMI-eARC	HDMI 3
USB	USB2.0*2
Ethernet (LAN)	1
Composite Video Input	1
L/R Audio Input for Composite	1
Earphone/Audio Output	1
Digital Audio Output	1 optical
Power	
Power Consumption	110W
Standby Consumption	≤0.5W
Power Supply (Voltage/Hz)	AC100-240V,50/60Hz
Wide Power Supply	Y
Smart	
Smart Platform	VIDAA U7
On Screen Display	English, Spanish
App Store	VIDAA APP store
TV System	DVB-T2(6M)/NTSC
Web Browser	Y (Odin)
Closed Caption	Y
Noise Reduction	Y
Parental Control	Y
Sleep Timer	Y
Far-fireld Voice Recognition	N
Googel Assistant	N
Alexa	N
Siri	N
Google Home	N
Chromecast	N
Apple Homekit	Y
Airplay	Y
Screen Mirror	Miracast
Dimensions/Weight(kg&mm)	
TV Dimension (without the stand)(mm)	1119×649×80
TV Dimension (with the stand)(mm)	1119×702×274
Stand Dimension-Wide(LxW)(mm)	893×274
Stand Dimension-Narrow(LxW)(mm)	NA
TV Weight (without the stand)(mm)	9.5 Kg
TV Weight (with the stand)(mm)	10Kg
Carton Dimensions(WxHxD)(mm)	1265×799×135
Shiping Weight(kg)	12.5Kg
Number of packaging units(kg)	3
Wall Amount	
Wall Mount Size	200×400
Wall Mount Screw	M6

Accessory	
Remote	ERF3D96H(0011)
Battery	2
Power cord	1
QSG	Y
Safety and Warranty	Y
Stand	Dual Stand
Warranty/UPC	
Warranty	
UPC Code	
EAN Code	

55A6N
55A60LXVT
Columbia, Panama
Hisense
N
N
N
AI PQ
55"
54.6" diagonal
VA
16:9
Flat
4K 3840X2160
60Hz
5000typ
178/178
9.5 ms
DLED
Y
Y
120
Y
Y
Y
Y
Y
Y
48-60Hz VRR
Y
Gamebar
DTS Virtual X
2.0 CH
2*8W
Y
Embedded (down)
Y
Y

802.11 a/b/g/n/ac Dual band(2.4/5 GHz)
BT5.0
1
480i,480P,720P,1080i,1080P,2160P
HDMI2.0*3
HDMI 3
USB2.0*2
1
1
1
1
1 optical
110W
≤0.5W
AC100-240V,50/60Hz
Y
VIDAA U7
English, Spanish
VIDAA APP store
DVB-T2(6M)/NTSC
Y (Odin)
Y
Y
Y
Y
N
N
N
N
N
N
N
N
N
Y
Y
Miracast
1233×715×80
1233×767×274
973×274
NA
10.9 Kg
11Kg
1400×839×135
16.5Kg
3
200×400
M6

ERF3D96H(0011)
2
1
Y
Y
Dual Stand

65A6N
65A60LXVT
Columbia, Panama
Hisense
N
N
N
AI PQ
65"
64.5" diagonal
IPS
16:9
Flat
4K 3840X2160
60Hz
4000typ
178/178
8ms
DLED
Y
Y
120
Y
Y
Y
Y
Y
Y
48-60Hz VRR
Y
Gamebar
DTS Virtual X
2.0 CH
2*10W
Y
Embedded (down)
Y
Y

802.11 a/b/g/n/ac Dual band(2.4/5 GHz)
BT5.0
1
480i,480P,720P,1080i,1080P,2160P
HDMI2.0*3
HDMI 3
USB2.0*2
1
1(AV IN三合一)
0
1
1 optical
155W
≤0.5W
AC100-240V,50/60Hz
Y
VIDAA U7
English, Spanish
VIDAA APP store
DVB-T2(6M)/NTSC
Y (Odin)
Y
Y
Y
Y
N
N
N
N
N
N
N
N
N
N
Y
Y
Miracast/DLNA
1452×834×74
1452×896×300
1168×300
NA
16.5Kg
16.7Kg
1602×996×161
24.5Kg
2
400×300
M6

ERF3D96H(0011)
2
1
Y
Y
Dual Stand

70A6N
70A60LXVT
Columbia, Panama
Hisense
N
N
N
AI PQ
70"
69.5" diagonal
VA
16:9
Flat
4K 3840X2160
60Hz
4000typ
178/178
8ms
DLED
Y
Y
120
Y
Y
Y
Y
Y
Y
48-60Hz VRR
Y
Gamebar
DTS Virtual X
2.0 CH
2*15W
Y
Embedded (down)
Y
Y

802.11 a/b/g/n/ac Dual band(2.4/5 GHz)
BT5.0
1
480i,480P,720P,1080i,1080P,2160P
HDMI2.0*3
HDMI 3
USB2.0*2
1
1(AV IN三合一)
0
1
1 optical
180W
≤0.5W
AC100-240V,50/60Hz
Y
VIDAA U7
English, Spanish
VIDAA APP store
DVB-T2(6M)/NTSC
Y (Odin)
Y
Y
Y
Y
N
N
N
N
N
N
N
N
N
Y
Y
Miracast/DLNA
1577×883×84
1577×964×369
1293×369
NA
21Kg
21.5Kg
1765×1075×211
30Kg
2
400×300
M6

ERF3D96H(0011)
2
1
Y
Y
Dual Stand

75A6N
75A60LXVT
Columbia, Panama
Hisense
N
N
N
AI PQ
75"
74.5" diagonal
IPS
16:9
Flat
4K 3840X2160
60Hz
1300typ
178/178
8ms
DLED
Y
Y
120
Y
Y
Y
Y
Y
Y
48-60Hz VRR
Y
Gamebar
DTS Virtual X
2.0 CH
2*15W
Y
Embedded (down)
Y
Y

802.11 a/b/g/n/ac Dual band(2.4/5 GHz)
BT5.0
1
480i,480P,720P,1080i,1080P,2160P
HDMI2.0*3
HDMI 3
USB2.0*2
1
1(AV IN三合一)
0
1
1 optical
200W
≤0.5W
AC100-240V,50/60Hz
Y
VIDAA U7
English, Spanish
VIDAA APP store
DVB-T2(6M)/NTSC
Y (Odin)
Y
Y
Y
Y
N
N
N
N
N
N
N
N
N
Y
Y
Miracast/DLNA
1677×961×85
1677×1040×369
1119×369
NA
26Kg
26.3Kg
1867×1149×204
38.5Kg
2
400×300
M6

ERF3D96H(0011)
2
1
Y
Y
Dual Stand

	责任人
85A6N	产品经理
85A60LXVT	产品经理
Columbia, Panama	产品经理
Hisense	产品经理
N	模组
N	模组
N	模组
AI PQ	
85"	硬件
84.5" diagonal	硬件
VA	模组
16:9	模组
Flat	模组
4K 3840X2160	硬件
60Hz	硬件
6000typ	模组
178/178	模组
8ms	模组
DLED	模组
Y	
Y	画质
120	硬件
Y	画质
Y	画质
Y	画质
Y	画质
Y	画质
Y	软件
48-60Hz VRR	软件
Y	软件
Gamebar	软件
DTS Virtual X	硬件
2.0 CH	硬件
2*15W	硬件
Y	硬件
Embedded (down)	硬件
Y	硬件
Y	软件

802.11 a/b/g/n/ac Dual band(2.4/5 GHz)	硬件
BT5.0	硬件
1	硬件
480i,480P,720P,1080i,1080P,2160P	硬件
HDMI2.0*3	硬件
HDMI 3	硬件
USB2.0*2	硬件
1	硬件
1(AV IN三合一)	硬件
0	硬件
1	硬件
1 optical	硬件
300W	硬件
≤0.5W	硬件
AC100-240V,50/60Hz	硬件
Y	硬件
VIDAA U7	软件
English, Spanish	软件
VIDAA APP store	软件
DVB-T2(6M)/NTSC	硬件
Y (Odin)	软件
Y	软件
Y	软件
Y	软件
Y	软件
N	软件
N	软件
N	软件
N	软件
N	软件
N	软件
N	软件
N	软件
Y	软件
Y	软件
Miracast/DLNA	软件
1892×1092×102	结构
1892×1182×474	结构
1566×474	结构
816*474	结构
36Kg	结构
37.1Kg	结构
2100×248×1304	结构
53.4Kg	结构
2	结构
600×400	结构
M8	结构

ERF3D96H(0011)	硬件
2	硬件
1	硬件
Y	硬件
Y	硬件
Dual Stand	结构

32A4K
32A35HUA
US / Mexico / Canada
Hisense
N
N
N
32"
31.5" diagonal
VA
16:9
Flat
Full HD 1920x1080
60Hz
3000typ
178/178
9.5 ms
FULL ARRAY
N
N
60
N
N
N
N
N
N
N
N
N
DTS Virtual X
2.0 CH
2*6W
N
Embedded (down)

IEEE 802.11 a/b/g/n/ac Dual band (2.4/5 GHz)
BT 5.0
1
480i、480p、720p、1080i、1080p
HDMI1.4*2
N
USB2.0*1
1
1
1
1
1 optical
50W
≤0.5W
AC120V,60Hz
Google TV
Eng/Fre/Spa
Google Play store
ATSC1.0/Clear QAM/NTSC/PAL-M/N
Yes (Google Play store)
Y
Y
Y
Y
N
built-in GA
work with Alexa
N
Y
Y
N
N
726×430×84 mm
726×472×159 mm
672×159 mm
NA
3.7 kg
3.8 kg
811×515×122 mm
5.6 kg
10
100×200
M6

Y
2
1
Y
Y
Dual Stand

填写示例demo

e.g. US / Mexico / Canada
e.g. Hisense / Toshiba /
Y / N
Y / N
Y / N
e.g. AIPQ, Local TMO
e.g. 65"
e.g. 64.5" diagonal
e.g. OLED / VA / ADS etc
e.g. 16:9
e.g. Flat / Curve
e.g. 4K 3840x2160 / Full HD 1920x1080
e.g. 60Hz/120Hz
e.g. 4000typ
e.g. 89/89
e.g. 8 ms
e.g. FULL ARRAY
Y / N
Y / N
e.g. 480 Hz
Y / N
Y / N
Y / N
Y / N
Y / N
Y / N
e.g. VRR 48-60 Hz
Y / N
e.g. Game Bar
e.g. Dolby Atmos/ DTS Virtual:X
e.g. 2.1.2 CH
e.g. 4*10W+20W+2*5W
Y / N
e.g. Embedded (down)
Y / N
Y / N

e.g. 802.11 ac Dual band (2.4/5 GHz)
List version e.g. BT 5.0/BT 5.2
e.g. 1
e.g. 480i,480P,720P,1080i,1080P,2160P
e.g. HDMI2.0*1 HDMI2.1*1
e.g. HDMI2
e.g. USB3.0*1 USB2.0*1/USB2.0*3
e.g. 1
e.g. 1
e.g. 1
e.g. 1
e.g. 1 optical
e.g. xx W
e.g. ≤0.5W
e.g. AC 100V~240V/50Hz
Y / N
e.g. Roku TV/Android TV / Google TV / VIDAA U6
e.g. Eng/Fre/Spa
e.g. Google play store/VIDAA Store/Roku Store
e.g. ATSC1.0/Clear QAM/NTSC
Y / N Odin / iwedia
Y / N
Y / N
Y / N
Y / N
Y / N
e.g. built-in GA/work with GA
e.g. built-in Alexa/work with Alexa
Y / N
Y / N
Y / N
Y / N
Y / N
e.g. MiraCast
e.g. xx mm
e.g. xx mm
e.g. xx mm
e.g. xx mm
e.g. xx kg
e.g. xx kg
e.g. xx mm
e.g. xx kg
e.g. xx
e.g. VESA Standard (400*200)
e.g. M6 / M4

Y / N
e.g. 2
Y / N
Y / N
Y / N
e.g. Single Stand/Dual Stand
e.g. 1/2/3 years
e.g. 82734646832